

Product **FLUXO S190** Revision 3 Date **30.04.2019** Page **1/5**

**SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY**

**1.1 Product Identifier**

Name of the product : FLUXO S190

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use : Solvent for Penetrant Testing

**1.3 Details of the Supplier of the Safety Data Sheet**

*Manufacturer and Supplier:*

SREM TECHNOLOGIES

14, rue des frères Chappe

Tél : +33 (0)2.43.48.15.10

ZI Ouest

Fax : +33 (0)2.43.45.25.26

72200 La FLECHE - FRANCE

e-mail : [info@srem.fr](mailto:info@srem.fr)

www.srem.fr

**1.4 Emergency Telephone Number**

Emergency Telephone Number : INRS +33.(0)1.45.42.59.59

**SECTION 2 – HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or Mixture**

Flam. Liq, Cat 2

H225: Highly flammable liquid and vapour

Skin Sens, Cat 2

H315: Causes skin irritation STOT SE, Cat 3

Aquatic Chronic 2

H336: May cause drowsiness or dizziness

Asp. Tox. 1

H411: Toxic to aquatic life with long lasting effects

H304 May be fatal if swallowed and enters airways

**2.2 Labels Elements**

**Hazards Pictograms**



**Hazard Statement**

H225 : Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315: Causes skin irritation

H336 : May cause drowsiness or dizziness

H411: Toxic to aquatic life with long lasting effects

**Precautionary Statement**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P243 Take action to prevent static discharges.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361 +P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P403 + P235 Store in a well-ventilated place. Keep cool.

Product **FLUXO S190** Revision 3 Date **30.04.2019** Page **2/5**

**2.3 Other Hazards**

**SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

**3.1 Mixtures**

Substance Name	N° CAS N° CE	Classification (1272/2008)	Concentration (%)
<i>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</i>	927-510-4 01-2119475515-33-xxxx	<i>Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411</i>	> 50 %

Full Test of H phrases: see section 16.

**SECTION 4 – FISRT AID MEASURES**

**4.1 Description of first aid measures**

- General information** Take off immediately all contaminated clothing and wash it before reuse. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If unconscious place in recovery position and seek medical advice.
- After ingestion** Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell.
- After eye contact** In case of eye irritation consult an ophthalmologist. Rinse immediately carefully and thoroughly with eye-bath or water.
- After skin contact** After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation. Consult a physician. Take off immediately all contaminated clothing.
- Following inhalation** In case of inhaling spray mist, consult a doctor immediately and show him packing or label. If breathing is irregular or stopped, administer artificial respiration.

**4.2 Most important symptoms and effects, both acute and delayed**

Respiratory complaints Drowsiness

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5 – FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable extinguishing media: Water spray Water mist Foam Extinguishing powder  
Unsuitable extinguishing media: Full Water Jet

**5.2 Special Hazards arising from the substance or mixtures**

: In case of fire may be liberated: Nitrogen oxides (NOx) Carbon monoxide.

**5.3 Advice for Firefighters**

: In case of fire: Wear self-contained breathing apparatus.

Product **FLUXO S190** Revision 3 Date **30.04.2019** Page **3/5**

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

- 6.1 **Personal precautions, protective equipment and emergency procedures**  
: Use personal protection equipment – Provide adequate ventilation
- 6.2 **Environmental Precautions**  
: Do not allow to enter into surface water or drains
- 6.3 **Methods and material for containment and cleaning up**  
: Absorb with liquid-binding material
- 6.4 **Reference to others sections**  
: See section 8 & 13

**SECTION 7 – HANDLING AND STORAGE**

- 7.1 **Precautions for safe handling**  
All work processes must always be designed so that the following is excluded: Inhalation Skin contact Eye contact  
Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.
- 7.2 **Conditions for safe storage, including any incompatibilities**  
Ensure adequate ventilation of the storage area.  
Hints on storage assembly: Materials to avoid oxidizing agent  
Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place.
- 7.3 **Specific End Uses**  
: Solvent for Penetrant Testing

**SECTION 8 – EXPOSURE CONTROLES AND PERSONAL PROTECTION**

**8.1 Control Parameters**

Component	CAS	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	927-510-4	Short Term Value = 500 ppm

**8.2 Exposure Controls**

- Eye/face protection : Suitable eye protection: Eye glasses
  - Skin protection : Use protective skin cream before handling the product. Hand protection  
Suitable gloves type: NBR (Nitrile rubber)
  - Respiratory protection : Filter type: AX is appropriate (if necessary).
  - Protective clothing : Body protection: not required.
- General health and safety measures: When using do not eat, drink, smoke, sniff.  
Wash hands before breaks and after work. After cleaning apply high-fat content skin care cream.

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemicals properties:**

- Physical Sate : Liquid
- Aspect : no color
- Odor : characteristic
- Density (active component) : 695 kg/m<sup>3</sup>

Product **FLUXO S190** Revision 3 Date **30.04.2019** Page **4/5**

Flash Point (active component) : -4°C  
 Ignition Temperature : > 400°C (ASTM E659)  
 Explosive Limits : lower : 1% upper : 6.7%  
 Solubility : soluble in water

**9.2 Others information**

**SECTION 10 – STABILITY AND REACTIVITY**

- 10.1 Reactivity** : Reaction with oxidising agent
- 10.2 Chemical Stability** : Stable in normal condition of use
- 10.3 Possibility of Hazardous reactions** : No Data available
- 10.4 Conditions to avoid** : No Data available
- 10.5 Incompatible Materials** : No Data available
- 10.6 Hazardous decomposition products** : No Data available

**SECTION 11 – TOXICOLOGICAL INFORMATION**

**11.1 Information on Toxicological Information**

Component	DL50 Oral	DL50 Dermal	CL50 Inhalation
<i>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</i>	<i>17 000 mg/kg (rat)</i>	<i>&gt; 2 000 mg/kg</i>	<i>60 mg/L (rat)</i>

**Acute oral toxicity:** Data apply to the main component.  
**Acute dermal toxicity:** Data apply to the main component.  
**Acute inhalation toxicity:** Data apply to the main component.

**SECTION 12 – ECOLOGICAL INFORMATION**

**12.1 Toxicity**

Component	EL50 (24h) daphnie	LL50 (96h) poisson
<i>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</i>	<i>1,5 mg/L</i>	<i>10mg/L</i>

- 12.2 Persistence and degradability** : No Data available
- 12.3 Bio accumulative potential** : No Data available
- 12.4 Mobility in soil** : No Data available
- 12.5 Results of PBT and vPvB assessment** : no PBT and vPvB
- 12.6 Other adverse effects**

Product **FLUXO S190**

Revision 3

Date **30.04.2019**Page **5/5****SECTION 13 – DISPOSAL CONSIDERATIONS****13.1 Waste Treatment methods**

Do not reject the product  
Ensure conformity to local disposal regulations.  
Packing is not taken again, they must be eliminated (polyethylene cans)

**SECTION 14 – TRANSPORT INFORMATION****14.1 UN Number**

1206

**14.2 UN proper shipping name**

HEPTAN

**14.3 Transport Hazard Class**

ADR / RID : 3

IMDG : 3

IATA : 3

**14.4 Packing Group**

ADR / RID : Group II

IMDG : Group II

IATA : Group II

**14.5 Environmental hazards**

No

**14.6 Special precautions for users****14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code****SECTION 15 – REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture****15.2 Chemical Safety Assessment**

: No data available

**SECTION 16 – OTHER INFORMATION**

*The European regulation imposes that all the H sentences (section 2) appear in this paragraph. According to their concentration in the final product, these sentences do not appear on the label. This is why sentences or initials appearing in this paragraph can not appear on the label.*

**H sentences (section 2 and 3)**

H225: Highly flammable liquid and vapour

H304: May be fatal if swallowed and enters airways

H315: Causes skin irritation

H336: May cause drowsiness or dizziness

H411: Toxic to aquatic life with long lasting effects

**Use** : Please refer to Technical Data Sheet